



High-Performance Industrial and Decorative Coatings



SYSTEM

POLY-GUARD

STEEL & CONCRETE PROTECTIVE COATING SYSTEM

system
170

POLY-GUARD

STEEL & CONCRETE PROTECTIVE COATING SYSTEM

POLY-GUARD 170 is a coating system formulated to provide excellent abrasion, graffiti and UV resistance. It exceeds the performance found in traditional solvent-based coatings, with low VOC's. It adheres to concrete, CMU, steel, galvanized metals, aluminum and a variety of building materials. When installed by Prime Coat factory technicians, this system delivers a standard of durability that is unmatched in the marketplace.

● COMMON APPLICATIONS

Perfect for coating CMU, precast concrete, steel demising walls, doors, frames, ceilings and a variety of other substrates.

● COMPONENTS

P-02 (Concrete Primer) or P-04 (Steel Primer)


U-20 G

U-21 G, LL

LEED MATRIX [NC 2009]

	YES	NO
MRc1.1 Building Reuse		✓
MRc2 Construction Waste Management	✓	
MRc4.1 Recycled Content		✓
MRc6 Rapidly Renewable Materials	✓	
IEQc4.2 Low Emitting Materials	✓	





● OPTIONS

Cove Bases: Not Available

Colors: see back panel

	A	B	C
Texture	✓		

Polymer Nation offers 3 categories of finish Textures. Texture A is our smoothest finish. Texture B is our mid-level slip resistant finish and Texture C is our highest level slip resistant finish. Custom textures can be engineered to meet specific design requirements. A mock up is recommended as the best way to ensure customer satisfaction.

Antimicrobial: Available

For additional or custom system configurations, please contact your Polymer Nation Consultant.

● COLORS

Custom colors upon request, actual colors may vary.



Custom colors upon request

POLYMER NATION

(847) 774-5038 | polymernation.com

170-03-25

In the unlikely event of a problem, a resolution is one phone call away with the assurance that the blame game will not be a part of the process. Our goal is to develop long lasting relationships with our customers.

WE PLEDGE TO DO WHATEVER WE CAN TO BRING OUR CUSTOMERS THE HIGHEST LEVEL OF SATISFACTION!